











MADE BY PEOPLE FOR PEOPLE

DAB invests and believes in its workforce; in particular the contribution that each single person can give in terms of skills and know how. Each single employee of DAB is part of the company, each single employee of DAB is the company itself.

RESPONSIBILTY

We believe that the safeguard of the environment is possible not only through eco-friendly products, but most of all thanks to responsible individuals. This is why we try to come up with energy efficient products, working on projects with a low environmental impact and selecting partners and suppliers consistent with our ethics. DAB has also implemented green codes of conduct to increase the awareness within all those working at DAB of the importance of reducing waste and of respecting the environment, starting from the most trivial daily activities, both within and outside the company.





DAB AROUND THE WORLD

6 PRODUCTION PLANTS

ITALY: DAB Mestrino DAB Bientina

DAB Castello di Godego CHINA:

DAB San Germano dei Berici DAB Qingdao

DAB Nagykanizsa CHINA:

HUNGARY:

12 SALES COMPANIES

DAB UK Colchester
DAB GERMANY Tonisvorst
DAB NETHERLANDS Drunen
DAB BELGIUM Groot Bijgaarden
DAB SPAIN Madrid
DAB RUSSIA Moscow
DAB SOUTH AFRICA Pretoria

DAB POLAND Warsaw
DAB USA Ladson
DAB MEXICO Mexico City
DAB CHINA Qingdao
DAB OCEANIA Melbourne, Australia



1 SALES OFFICE

DAB UAE Dubai

For over 40 years, DAB has been a main player in technologies for the movement and management of our most precious resource, water.

DAB offers technological solutions capable of ensuring reliability and efficiency, and to optimise energy consumption in domestic and residential, civil, agricultural and irrigation applications.

DAB AND SWIMMING POOLS



DAB's pumps for swimming pools are developed to guarantee reliability, efficiency and ease of maintenance. They are designed to offer added value for the installer and considerable savings, as well as comfort for the end user.

The pumps are suitable for all types of applications, from small residential swimming pools to public swimming pools.







E.JUIM

THE HEART OF THE SWIMMING POOL



The pump is the beating heart of the swimming pool since it moves the water for the purpose of filtration and treatment. A conventional pump, however, can be extremely expensive as it consumes more power than all the other devices combined. For this reason, **DAB** designed the highly energy-efficient **E.SWIM** electronic pump with low-consumption variable speed motor and hydraulics far superior to those of single-speed pumps.

E.SWIM is the ideal solution for keeping down energy costs: it requires up to 90% less power than a conventional pump at constant speed.



Energy Saving up to 90% to any other traditional



Extremely Silent Running (45dba)

Thanks to water cooling technology



High Efficiency

thanks to the new brushless motor, new hydraulics and new electronic board



Display LCD

Easy to install and use with large LCD display



AWARDS AND CERTIFICATIONS

Award received at MCE 2016












OVERVIEW

ENERGY SAVING

The new e.swim is the best solution to reduce energy consumption. A traditional single-speed pool pump consumes as much as 7 refrigerators, which means that it indirectly produces about 1,380,000 grams of $\rm CO_2$, which is equivalent to what 138 trees would produce. E.SWIM really makes your system more efficient and optimises electricity costs.

It guarantees energy savings of up to 90% thanks to the combination of:

- Synchronous permanent magnet motor
- High efficient hydraulics to reduce pressure losses
- 8 settable speeds.



EXAMPLE WITH 3 CYCLES PER DAY. 10 HOURS A DAY AND 200 DAYS OF OPERATION PER YEAR

POOL SIZE	MODEL	E∵∩∩Ш	ENERGY COST \$/kWh	E.SWIM Saving 1 day	E.SWIM Saving 1 Year	E.SWIM Saving 5 Years
30,000 Litres	0.5 Hp	E.SWIM 150	0.27	\$0.88	\$175.50	\$877.50
30,000 Lines	single speed	E.OWIW 130	0.45	\$1.48	\$296.25	\$1,481.25
45,000 Litres	0.75 Hp	E.SWIM 150 0.27	0.27	\$1.62	\$324.00	\$1,620.00
40,000 Elico	single speed	E.OWIW 130	0.45	\$2.70	\$540.00	\$2,700.00
60,000 Litres	1 Hp	E.SWIM 150	0.27	\$2.00	\$400.50	\$2,002.50
00,000 Lines	single speed	E.OWIWI 130	0.45	\$3.32	\$663.75	\$3,318.75
70,000 Litres	1.5 Hp	E.SWIM 300	0.27	\$3.69	\$738.00	\$3,690.00
70,000 Elics	single speed	E.OWINI 300	0.45	\$6.15	\$1,230.00	\$6,150.00
90.000 Litres	0 Litres 2 Hp E.SWIM 300	0.27	\$3.65	\$729.00	\$3,645.00	
50,000 Elifos	single speed	E.011111 000	0.45 \$6.06	\$6.06	\$1,211.25	\$6,056.25
110 000 Litros	3 Hp 110,000 Litres 3 Hp single speed E.SWIM 300	E SWIM 300	0.27	\$6.03	\$1,206.00	\$6,030.00
110,000 Eliles		E.OWIN GOO	0.45	\$10.05	\$2,010.00	\$10,050.00



SAFETY

FIRST

E.Swim with SVRS* software gives you full peace of mind: we have designed a system that disables the suction of the swimming pool pump, so that bodies or objects trapped against the suction port may be quickly released.

*E.Swim SVRS model available on request.

EASY INSTALLATION

The E.SWIM software allows you to operate not only at different speeds, but also at variable or constant flow rates, thus guaranteeing a unique user experience.

The intuitive interface gives access to the main settings depending on the specific application and all of the system information via the high resolution LCD screen.







OVERVIEW

LOW NOISE

NO VIBRATIONS

Extreme silent running, thanks to the water cooled technology No vibration, no cooling fan, anti vibration feet. The special water cooled motor, the inverter and the anti vibration feet make e.swim the most silent swimming pool pump on the market.





VERSATILITY


Wide choice and flexibility of use, manual or automatic operation, integrated control menu or connection from external control unit



Set point pre-set with unlimited time or configurable with specified time. Editable via panel.



AUTO



Auto operation with daily and weekly timer scheduling of different speeds.

Possibility to control the pump from REMOTE via digital or analogue contact (4-20mA / 0-10V)




OVERVIEW

MINIMUM SPACE REQUIREMENT

MAXIMUM SPACE SAVING

The new structure and ergonomic design make for a compact product that can be installed anywhere. It occupies 30% less space than any other conventional system.





FEATURES



DESIGN

This innovative solution combines aesthetics with sturdy materials highly resistant to corrosion and oxidation.



INTEGRATED PREFILTER

The E.SWIM has a large canister, up to 5 litres, a trasparent lid that can be removed without tools, and an internal filter easy to take out and clean.



VARIABLE SPEED / FLOW CONTROL

The inverter control board allows operation at variable speed or flow rate, optimising performance and reducing consumption without the need for sensors.



HIGH EFFICIENCY HYDRAULICS

The impeller and volute are designed specifically to improve/ optimise hydraulic performance.





The new synchronous motor with permanent magnets represents a new benchmark on the market due to its efficiency and reliability.



WATER COOLING

Motor cooled by the pumped water, free from fan cooling. This lowers the noise and makes the pump more compact.



ANTI-VIBRATION FEET

The supporting base guarantees stability with integrated rubber feet that reduce vibrations.




USER INTERFACE PANEL

Intuitive interface panel for immediate control of the pump and programming according to any needs.
High resolution LCD display.











Euroswim

HIGH RELIABILITY



Self-priming centrifugal high performance electric pumps with incorporated high capacity pre-filter. Completely watertight motor. Extremely silent and highly reliable, developed for the circulation and filtration of water in domestic and residential swimming pools.





Efficiency

high performance with low energy consumption



Very Quiet (60 DBA)

Silent running



Reliability

Corrosion resistant materials for a long life even at extreme conditions (+ 60° ambient temperature)



Simplicity

easy-to-open transparent cover for quick cleaning of the filter



MODEL	Flow at 10 m	
EUROSWIM 50	11 m³/h	183 l/pm
EUROSWIM 75	14 m³/h	233 l/pm
EUROSWIM 100	16 m³/h	266 l/pm
EUROSWIM 150	23 m³/h	383 l/pm
EUROSWIM 200	30 m³/h	500 l/pm
EUROSWIM 300	38 m³/h	633 l/pm

CERTIFICATIONS





FEATURES



DESIGN

This innovauve combines aesthetics with materials highly resistant to corrosion and oxidation.

QUICK AND EASY CONNECTION

In & Out connection female, threaded 2". Optional on request: special 3 piece adjustment 50/63 mm.



HYDRAULIC COMPONENTS

All components in contact with the liquid are made in polypropylene or noryl with glass fiber.
High efficiency Impeller with special against corrosion (motor is completely



design to cover and protect motor shaft insulated)



LARGE PREFILTER

It has a large canister, up to 6 litres. Motor (suitable up to 60°) a trasparent lid that can be removed without tools, and an internal filter easy to take out and clean.



ANTI-VIBRATION FEET

The supporting base guarantees stability with integrated rubber feet that reduce vibrations.



MOTOR

All metallic components are surface treated. Suitable for working in a high temperature environment (up to 50°C). With exhaust condensate holes. Capacitor is internal in the terminal board box. Water proof bearings.




TERMINAL BOARD BOX

Easy and fast line connection, Totally closed against the motor to avoid any accidental solid particle


SELECTION TABLE

	PUMP SELECTION BASED ON POOL SIZE, FLOW REQUIREMENTS AND ACCESSORIES				
	DIMENSIONS OF POOL	VOLUME OF WATER (litres)	FLOW (litres per minute)	1	MODEL
PRIVATE SWIMMING POOL	8 x 4	35,000 to 50,000	150	E.SWIM 150	EUROSWIM 50
	8x4 to 10x5	50,000 to 70,000	200	E.SWIM 150	EUROSWIM 75
ATE SWIN	10x5 to 12x5	70,000 to 90,000	250	E.SWIM 150	EUROSWIM 75 EUROSWIM 100
PRIV	11x6 to 12x6	90,000 to 110,000	300	E.SWIM 150	EUROSWIM 100
EANING S	8 x 4	35,000 to 50,000	150	E.SWIM 300	EUROSWIM 200
OOR CLI SPA JET	8x4 to 10x5	50,000 to 70,000	200	E.SWIM 300	EUROSWIM 200
POOL WITH IN-FLOOR CLEANING AND POOL/SPA JETS	10x5 to 12x5	70,000 to 90,000	250	E.SWIM 300	EUROSWIM 200 EUROSWIM 300
POOLV	11x6 to 12x6	90,000 to 110,000	300	E.SWIM 300	EUROSWIM 300
,00L	8 x 4	35,000 to 50,000	233	E.SWIM 150	EUROSWIM 75
PUBLIC SWIMMING POOL	8x4 to 10x5	50,000 to 70,000	400	E.SWIM 300	EUROSWIM 200
	10x5 to 12x5	70,000 to 90,000	500	E.SWIM 300	EUROSWIM 200 EUROSWIM 300
PUB	11x6 to 12x6	90,000 to 110,000	667	E.SWIM 300	EUROSWIM 300

^{*}Times for complete recirculation of water within 6 hours for private pool and 2/3 hours for public pool







COMPARISON TABLE





ഭൗല		Euroswim
C.J WIII	11	

FEATURES		
HIGH EFFICIENCY HYDRAULICS		✓
HIGHLY RELIABLE AND DURABLE COMPONENTS	✓	✓
SMALL SIZE, FOR EASE OF INSTALLATION		✓
LCD DISPLAY	✓	×
8 SPEEDS THAT CAN BE SET WITH TIMER	~	×
INTEGRATED DIAGNOSTICS FOR PROTECTION OF THE PUMP	✓	×
DAB CONNECTIVITY	✓	×
OPERATION AT VARIABLE SPEED	✓	×
OPERATION AT VARIABLE FLOW RATE	✓	×
OPERATION AT CONSTANT FLOW RATE	✓	×
HIGH EFFICIENCY "BRUSHLESS" MOTORS WITH PERMANENT MAGNETS	✓	×
WATER COOLING WITHOUT NEED FOR FAN	✓	×
BACKWASHING MODE	✓	×



ACCESSORIES

DAB V-SERIES FILTER

TOP-MOUNT SAND FILTERS

DAB's V-Series fibre glass top-mount sand filters offer a UV resistant and durable construction. Easy to operate and ideal for use with any of DAB's pool pump range.





EUROCHLOR

SALT & MINERAL CHLORINATOR

Utilising energy efficient switch mode technolgy and low heat generation the Eurochlor salt & mineral chlorinator is the perfect addition to help keep your pool clean all year round.

FULL REMOTE CONTROL

REMOTE CONTROL FOR YOUR E.SWIM AND POOL SYSTEM

With the E.Swim Control Package you can control your pump and other parts of your pool system via a downloaded app.





A WIDE RANGE

EUROPRO HIGH FLOW

LARGE SWIMMING POOL FILTRATION

Self-priming, high-performance centrifugal pumps, with built-in large capacity prefilter. 2 or 4 pole motor completely isolated from the water. Extremely quiet and highly reliable, developed for the circulation and filtration in large swimming pool filtration systems. Also suitable for particular applications that require handling of seawater thanks to the mechanical seal made of AISI 316.









NKM-G / NKP G

LARGE SWIMMING POOL FILTRATION

The new range of prefilters gives the possibility of using the standardised monobloc centrifugal pumps of the NKM-G/NKP-G ranges, starting from DN 40 up to DN 150, for the circulation of water in large filtration systems.

JETCOM SP - EUROCOM SP

SWIMMING POOL WATER SUPPLY

Horizontal axis multistage centrifugal pump, characterised by extremely quiet operation. Useful for hydraulic pool cleaners and all applications involving the circulation of aggressive water; in general, containing chlorine.





UTILITY PUMPS

Utility pumps are multi-purpose pumps. Uses range from everyday applications around your swimming pool. Typical applications include, draining clear and waste water , salt water and to create water play areas or systems.

NOVA UP

VERTY NOVA





Submersible pumps in technopolymer are ideal for draining in residential environments subject to flooding or for portable applications such as emptying swimming pools, fountains and small excavations.

NOVA UP MAE

FEKA BVP



Submersible pumps ideal for draining and emptying in the residential sector. Suitable for pumping dirty water with solid particle sizes up to 50 mm.



NOVA POND



Submersible pumps ideal for the recirculation of water in ponds and to create waterfalls and water features.

NOVA SW



Models specifically constructed to pump salt water.



MULTI 4 SW



Via Marco Polo, 14 35035 Mestrino (PD), Italy sales@dwtgroup.com Tel. +39 049 512 5000 Fax +39 049 512 5950



6 Gilberd Court Newcomen Way Severalls Business Park Colchester Essex CO4 9WN - UK salesuk@dwtgroup.com Tel. +44 0333 777 5010



DAB PUMPS B.V.

't Hofveld 6 C1 1702 Groot-Bijgaarden - Belgium info.belgium@dwtgroup.com Tel. +32 2 4668353



DAB PUMPS B.V.

Albert Einsteinweg, 4 5151 DL Drunen - Nederland info.netherlands@dwtgroup.com Tel. +31 416 387280 Fax +31 416 387299



DAB PUMPS GMBH

Am Nordpark 3 D - 41069 Mönchengladbach - Germany info.germany@dwtgroup.com Tel. +49 2161 47388-0 Fax +49 2161 47388-36



DAB PUMPS IBERICA S.L.

Calle Verano 18-20-22 28850 - Torrejón de Ardoz - Madrid Spain Info.spain@dwtgroup.com Tel. +34 91 6569545 Fax: + 34 91 6569676



DAB PUMPS SOUTH AFRICA PTY

Twenty One industrial Estate, 16 Purlin Street, Warehouse 4, Unit B Olifantsfontein - South - Africa info.sa@dwtgroup.com Tel. +27 12 361 3997



DAB PUMPS HUNGARY KFT.

Nagykanizsa, Buda Ernő u.5 Hungary Tel. +36 93501700



DAB PUMPS POLAND Sp. z o.o. UI. Janka Muzykanta 60 02-188 Warszawa - Poland polska@dabpumps.com.pl Tel. +48 223 816 085



000 DAB PUMPS

Novgorodskaya str. 1, block G office 308, 127247, Moscow - Russia info.russia@dwtgroup.com Tel. +7 495 122 0035 Fax +7 495 122 0036



DAB PUMPS INC.

3226 Benchmark Drive Ladson, SC 29456 - USA info.usa@dwtgroup.com Tel. 1- 843-797-5002 Fax 1-843-797-3366



DAB PUMPS (QINGDAO) CO. LTD.

No.40 Kaituo Road, Qingdao Economic & Technological Development Zone Qingdao City, Shandong Province - China PC: 266500 sales.cn@dwtgroup.com Tel. +86 400 186 8280 Fax +86 53286812210



DAB PUMPS DE MÉXICO, S.A. DE C.V.

Av Amsterdam 101 Local 4 Col. Hipódromo Condesa, Del. Cuauhtémoc CP 06170 Ciudad de México Tel. +52 55 6719 0493



DAB PUMPS OCEANIA PTY LTD

426 South Gippsland Hwy, Dandenong South VIC 3175 – Australia info.oceania@dwtgroup.com Tel. +61 1300 378 677

